

Scholar All articles - Recent articles Results 1 - 100 of about 161 for "security level" and "virtual address" and table. (0.97 seconds)

Security and protection of data in the IBM System/38

V Berstis - Proceedings of the 7th annual symposium on Computer ..., 1980 - portal.acm.org

... **Table 1** itemizes the various types of objects ... aligned entities which contain a **virtual address** and other ... is required for a higher **security level** process to ...

Cited by 38 - Related articles - Web Search - All 2 versions

[PDF] •An architecture of security management unit for safe hosting of multiple agents

T Gilmont, JD Legat, JJ Quisquater - Proceedings of the International Workshop on Intelligent ..., 1998 - usrback.com

... Also, the **security level** of those devices are lower than a single chip as they are more vulnerable ... **virtual address** NVM Key table Critical data Secret data K id ...

Cited by 25 - Related articles - Web Search - All 15 versions

Architecture for utilizing coprocessing systems to increase performance in security adapted computer ...

R Saunders, EC Francisco... - US Patent 5,283,828, 1994 - Google Patents

... 80386 25 7/137, operating in protected **virtual address** mode ... The auditable event **table** 355 and audit log 356 ... and maintains a cache 358 of **security level** data for ...

Cited by 14 - Related articles - Web Search - All 2 versions

InfoShield: A security architecture for protecting information usage in memory- •psu.edu [PDF]

W Shi, JB Fryman, G Gu, HHS Lee, Y Zhang, J Yang - High-Performance Computer Architecture, 2006. The Twelfth ..., 2006 - IEEE Xplore IEEE.

... piece of information, a and b, at the same **security level** ... against the protected addresses in the SR **table** by testing the effective (**virtual**) **address** ...

Cited by 9 - Related articles - Web Search - All 20 versions

Address space layout permutation (aslp): Towards fine-grained randomization of commodity software- •ncsu.edu [PDF]

C Kil, J Jun, C Bookholt, J Xu, P Ning - Computer Security Applications Conference, 2006. ACSAC'06. ..., 2006 - IEEE Xplore IEEE.org

... user process to request a specific **virtual address** to store ... randomness returned from PaX- test in **Table 2**, we ... In such micro-**security level** perspective, the de ...

Cited by 8 - Related articles - Web Search - All 9 versions

An interpretation of a refined Bell-La Padula model for the TMachkernel

FL Mayer, TIS Inc, MD Glenwood - Aerospace Computer Security Applications Conference, 1988., ..., 1988 - IEEE Xplore IEEE.org

... The final component of a system state, f, is a triple of **security level** functions-level(O), level(S), and c.Mrreitt-level(S)-which assign security levels ...

Cited by 16 - Related articles - Web Search - All 2 versions

FIDES: an advanced chip multiprocessor platform for secure next generation mobile terminals

H Inoue, J Sakai, S Torii, M Eda - 2008 - portal.acm.org

... Each **virtual address** space in the XIP kernels seems to be the same as a ... **Table II** ... In general, the effective way to evaluate the quantitative **security level** of a ...

Cited by 9 - Related articles - Web Search - All 5 versions

[PDF] •Design, Implementation and Performance of Protection in the Mungi Single Address Space Operating ...

JD Vochteoo - 1998 - Citeseer

... List of **Tables 3.1** The Mungi system calls ... In the Mungi single address space there is only one name for each entity, its **virtual address** ... Same **Security Level** ...

Cited by 16 - Related articles - View as HTML - Web Search - Library Search - All 7 versions

[PDF] •The rule set based access control (rsbac) framework for linux

A Ott, S Fischer-Hübner - kernelsecurity.org

... After attaching a shared memory, it becomes part of the **virtual address** space of the process ... that have been implemented as part of ADF are listed in **Table 3**. A ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 25 versions](#)

Using split capabilities for access control

AH Karp, GJ Rozas, A Banerji, R Gupta - IEEE software, 2003 - ieeexplore.ieee.org

... Each "name" is a **virtual address** useful only to the ... we call root can remove any key from the **table** ... ments at the same or lower **security level** and write ...

[Cited by 8](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 7 versions](#)

[PDF] •Design of LDV: A multilevel secure relational database management system

PD Stachour, B Thuraisingham - IEEE Transactions on Knowledge and Data Engineering, 1990 - utdallas.edu

... terms of allowable access modes are captured in a Domain Definition **Table** (DDT ... The **security level** of the subject who attempts the update operation, the name-de ...

[Cited by 52](#) - [Related articles](#) - [Web Search](#) - [All 7 versions](#)

An overview of computer security

RC Summers - IBM Systems Journal, 1984 - research.ibm.com

... CAPABILITY LIST FOR PROCESS 2: SEGMENT B (READ) I I ments. Thus a **security level** consists of both a sen- sitivity or clearance level and a set of compartments. ...

[Cited by 9](#) - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

Secure and advanced unpacking using computer emulation

S Josse - Journal in Computer Virology, 2007 - Springer

... By maintaining a sorted **table** of API functions, API functions are not indexed ... have been initialised by the NT loader with the function **virtual address** in memory ...

[Cited by 5](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#)

Memory management circuit which provides simulated privilege levels

US Johnson, T Short, G Intrater - US Patent 5,684,948, 1997 - Google Patents

... that holds a plurality of **security level** indications. ... address space segments, current **virtual address** is translated ... of an interrupt dispatch **table** (IDT), where ...

[Cited by 5](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •Split capabilities for access control

AH Karp, R Gupta, G Rozas, A Banerji - HP Laboratories Palo Alto, HPL-2001, 2001 - Citeseer

... s entry is removed from the **table**, all uses ... the key corresponding to the user's **security level** in the ... Each "name" is a **virtual address** useful only to the ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 6 versions](#)

Dynamic security domain scaling on symmetric multiprocessors for future high-end embedded systems

H Inoue, A Ikeno, T Abe, J Sakai, M Eda-hiro - Proceedings of the 5th IEEE/ACM international conference on ..., 2007 - portal.acm.org

... based on virtualization software technologies, the **security level** of domain ... 3.2.2 Unified **Virtual Address** Mapping For a state ... for use with a page **table**, to be ...

[Cited by 2](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

Assurance for the Trusted Mach operating system

M Branstad, J Landauer, TIS Inc, MD Glenwood - Computer Assurance, 1989. COMPASS'89, Systems Integrity, ..., 1989 - ieeexplore.ieee.org

... The **security level** function f consists of four level func- tions-level(O), level(S), v-max(S), a-min(S)--which provide mappings from a set of security levels ...

[Cited by 3](#) - [Related articles](#) - [Web Search](#)

[CITATION] Firewall Builder Tutorial

V Kurland - Available from World Wide Web: <http://www.fwbuilder.org/> ...

[Cited by 2](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

Internet-based secure virtual networks

L Delgrossi, D Ferrari - High-Performance Networks for Multimedia Applications, 1999 - books.google.com
... and management of supranet-level routing tables; assembling supranet ... keys to provide an appropriate **security level**. ... with an 8-bit **virtual address** space, eg ...
Cited by 2 - Related articles - Web Search - All 5 versions

The design of supranet security mechanisms

L Delgrossi, D Ferrari - 7th IEEE Intelligent Network Workshop, 1998. IN'98. 1998 - ieeeexplore.ieee.org
... **virtual address** space, eg, the SendAddress and DestAddress ... as the appropriate static routing tables generated by ... keys to provide an appropriate **security level**. ...
Cited by 1 - Related articles - Web Search

[PDF] •Comparison of Security Patterns

DG Rosado, E Fernández-Medina, M Plattini, C ... - IJCSNS, 2006 - paper.ijcsns.org
... 5. **Virtual Address Space Access Control Pattern**. ... Security degree: It indicates the **security level** that the ... **Table 1. Patterns Comparative Table** for the selected ...
Cited by 1 - Related articles - View as HTML - Web Search - All 3 versions

Enhancing security through hardware-assisted run-time validation of program data properties- •psu.edu [PDF]

D Arora, A Raghunathan, S Ravi, NK Jha - Proceedings of the 3rd IEEE/ACM/FIP international ..., 2005 - portal.acm.org
... pointers and checks pointer dereferences against this **table**. ... in SR s is the **virtual address** of the ... write data above (or below) a specified **security level**. ...
Cited by 1 - Related articles - Web Search - All 7 versions

[PDF] •Wireless sensors and control networks: Enabling New Opportunities

B HELLE - nicta.com.au
... ZigBee Concepts: Endpoints • An endpoint is a **virtual address** within a ZigBee device – up to 255 ... SSP **Security Level Neighbor Table Size Routing Table Size** ...
Cited by 1 - Related articles - View as HTML - Web Search

An optimal solution to the secure reader-writer problem

G Benson - 1992 IEEE Computer Society Symposium on Research in Security ..., 1992 - ieeeexplore.ieee.org
... may be mapped into clients' **virtual address** space ... se- curity level range encapsulates the file's **security level**. ... the TCB updates the client's page **table** to map ...
Cited by 1 - Related articles - Web Search - All 4 versions

Privacy and Security in Data Banks

CV Ramamoorthy, WA Garrison - 1970 - Storming Media
... ii Page 4. **TABLE OF CONTENTS Privacy and Security in the Data Bank INTRODUCTION**
Page ... 89 11 Data Base **Security Level** 104 vi Page 8. PART I ...
Cited by 1 - Related articles - Web Search

[PDF] •Low latency solution for confidentiality and integrity checking in embedded systems with off-chip ...

R Vasilin, G Gogniat, JP Digue, E Wanderley, R de ... - Workshop on Reconfigurable Communication-centric Systems-on- ..., 2007 - hal.inria.fr
... hash of the data and its **virtual address** is concatenated ... memory architecture and desired **security level** of the ... with a base NIOS architecture (**Table 1**). These ...
Cited by 1 - Related articles - View as HTML - Web Search - All 2 versions

Address Space Layout Permutation: Increasing Resistance to Memory Corruption Attacks- •ncsu.edu [PDF]

CG Bookholt - 2005 - lib.ncsu.edu
... vii List of **Tables 3.1** Comparing Process Memory Layout on Standard and ASLP Kernels of a process in 32-bit **virtual address** space with the Linux 2.4.31 kernel ...
Cited by 1 - Related articles - View as HTML - Web Search - All 2 versions

System and method for using address bits to form an index into secure memory

DR Morais, JA Andrews - US Patent 7,356,668, 2008 - Google Patents
... 2003, Book III, Version 2.01, **Table of Contents** and pp. 1-119. Wu, M. et al., "Improving TLB Miss Handling with Page **Table** Pointer Caches," Dec. ...
Related articles - Web Search - All 4 versions

[PDF] •High-efficiency protection solution for off-chip memory in embedded systems

R Vasilin, G Gogniat, JP Diguët, R de Saint Maud, R ... - Cteseeer

... primitives such as secure context switching and **security level** management. ... A hash of the data and its **virtual address** is concatenated ... (cycles) **Table 1: Cost ...**

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 4 versions](#)

A Qualitative Analysis of the Critical's Path of Communication Models for Next Performant ...

OB Fredj, F Evry, E Renault - Advances in Systems, Computing Sciences and Software ..., 2006 - Springer

... a contiguous message in the **virtual address** space is ... The cache **table** contains a virtual- to ... to personalize the send operation (**security level**, the reliability ...

[Related articles](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •Internet Architecture Study Group (Spring 2005)

T Koponen, M Sarela, J Ylitalo - tml.tkk.fi

... The solution, CoDoNS is a new design based on distributed hash **tables** (DHT), especially ... Without cryptography, MAST offers similar kind of **security level** as TCP ...

[Related articles](#) - [View as HTML](#) - [Web Search](#)

Method and apparatus for secure execution using a secure memory partition

M Mittal - US Patent App. 11/229,669, 2005 - Google Patents

... For example, secure partition 223 by a secure partition **virtual address** base register, which species the start of the secure partition in virtual memory, and a ...

[Related articles](#) - [Web Search](#) - [All 7 versions](#)

An efficient and scalable Security Protocol for protecting fixed-Content Objects in ContEnt ...

W Itani, A Kayssi, A Chehab - Security and Privacy in Communications Networks and the ..., 2007 - ieeexplore.ieee.org

... **TABLE 1. SECURE OBJECT STORAGE PROTOCOL STEPS** ... Generate a CAS **virtual address** or handle ...

Consult the Security Policy to determine the right **security level** to be ...

[Related articles](#) - [Web Search](#)

[PDF] •Afvtla

CA Frey - 2005 - dspace.mit.edu

... one process. This can be done by assigning labels to ranges of the **virtual address** space. ... For instance, a **virtual address** space range can be set up ...

[Related articles](#) - [Web Search](#)

[PDF] •Acetone: a system call interface for Asbestos labels

CA Frey - 2005 - pdos.csail.mit.edu

... one process. This can be done by assigning labels to ranges of the **virtual address** space. ... For instance, a **virtual address** space range can be set up ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 6 versions](#)

Creating secure process objects

DE Havens, AU Kishan, RB Ward - US Patent App. 11/129,872, 2005 - Google Patents

... to a secure process (or to a thread in a secure process) with an access mask that grants any subset of the invasive access rights outlined in the **table** below. ...

[Web Search](#) - [All 2 versions](#)

[PDF] •E EI 1NRL Report 8554

LAJ NAVAL - dtic.mil

... The answers to these questions (except the last) are given in **Tables 1 to 3**. The abbreviations used in these **tables** are listed in **Table 4**. Brief comments about ...

[View as HTML](#) - [Web Search](#)

Acetone: a system call interface for Asbestos labels- •mit.edu [PDF]

MF Kaashoek, CA Frey - 2005 - dspace.mit.edu

... one process. This can be done by assigning labels to ranges of the **virtual address** space. ... For instance, a **virtual address** space range can be set up ...

[Related articles](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •00 SPECIFICATION OF A 00 TRUSTED COMPUTING BASE (TCB)

GH Nibaldi - dtic.mil

... **TABLE OF CONTENTS** (Concluded) ... a process accesses a device by referencing a **virtual address** that is ... cannot observe an object unless the **security level** of the ...

[View as HTML](#) - [Web Search](#)

DYNAMIC SELECTION AND APPLICATION OF MULTIPLE VIRTUALIZATION TECHNIQUES

KM Adams, JW Sheldon, P It - 2008 - freepatentsonline.com

... a virtual machine, though at an unprivileged **security level** ... virtual memory systems, multiple page **table** 20 accesses are ... the mapping of a **virtual address** to a ...

[Web Search](#)

[PDF] •Secure Microkernel Operating Systems Shrink to fit todays verification technology

H Blume - Citeseer

... levels...20 6.3 **Table** of Figures ... Consequently the **security level** being implemented ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

Network Virtualization

MJ Wray, CI Dalton - US Patent App. 11/575,382, 2005 - Google Patents

Page 1. US 2007/0280243A1 (19) United States (12) Patent Application Publication

GO) Pub. NO.: US 2007/0280243 A1 Wray et al. (43) Pub. Date: Dec. ...

[Web Search](#) - [All 4 versions](#)

Method and apparatus for displaying and managing inherited values

GR Hintermeister, MD Rahn - US Patent App. 10/677,428, 2003 - Google Patents

... ~\1.1.# **Security level**: 30 * FIG ... Suitable control types (eg, a **table**, radio button group, check box, etc.) Include, without limitation, the control type ...

[Web Search](#) - [All 2 versions](#)

[PDF] •Security and Resource Management

D Miliojicic, G Agha, P Bernadat, D Chauhan, S ... - cs.usask.ca

... **Table 1**. Functionality Standardized by MASIF and the Level of Complexity. ... allow specification of the quality of security service and **security level** by setting ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 7 versions](#)

[PDF] •Transparent Code Authentication at the Processor Level

AO Durahim, E Savas, B Sunar, TB Pedersen, O ... - IET Computers & Digital Techniques, 2007 - research.sabanciuniv.edu

... using universal families of hash functions allow the designer to quantify the **security level** precisely, thus ... L J program blocks **Virtual Address** Program ID (I) ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •History of Protection in Computer Systems

JD Tangney - dtic.mil

Page 1. MITRE-Bedford Division . . . EVFIG* MTR-3999 601 Zz; Z1 To History of Protection in Computer Systems John D. Tangney 15 JULY 1980 DTIC D ...

[View as HTML](#) - [Web Search](#)

Code execution apparatus and code distributing method

J Kamada, S Kotani - US Patent App. 10/042,262, 2002 - Google Patents

... 5,2002 Sheet 7 of 23 US 2002/0184046 A1 S14 S15 S16 ASSIGNING REAL MEMORY GENERATING ADDRESS CORRESPONDENCE **TABLE** READING CODE RESUMING OPERATION END RELEASING ...

[Web Search](#) - [All 5 versions](#)

[PDF] •Analysis of Manipulation Methods in Operating System Kernels and Concepts of Countermeasures, ...

C Alm, K Brunnstein, HJ Muck - informatik.uni-hamburg.de

... 24 3.4.1 The Interrupt Descriptor **Table** 25 3.4.2 Call Gates

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

Case Studies in Security and Resource Management for Mobile Object Systems

D Milojkic, G Agha, P Bernadat, D Chauhan, S ... - Autonomous Agents and Multi-Agent Systems, 2002 - Springer

... **Table 1** Functionality Standardized by MASIF and the level of complexity ... allow specification of the quality of security service and security level by setting ...

Cited by 2 - Related articles - Web Search - BL Direct - All 6 versions

Integrating operating systems and run-time systems

LP Van Doorn - US Patent 6,546,546, 2003 - Google Patents

... 65 The second security level is implemented by the ... forms the minimal trusted computing

TABLE 1 15 ... Granularity Mechanism a single virtual address space where ...

Cited by 3 - Related articles - Web Search - All 2 versions

[PDF] •A Survey on Tools for Binary Code Analysis

S Li - Stony Brook University, 2004 - plus.kaist.ac.kr

... Fixups: The fixup table, contains an ... Each fixup block contains the base relative virtual address of the page, the number of fixups, and an array of 16 bit ...

Cited by 2 - Related articles - View as HTML - Web Search - All 9 versions

[PDF] •The Walnut Kernel a Password-capability Based Operating System

MD Castro - 1996 - castro.aus.net

... Page tables and other system data are periodically expired and new tables constructed. ...

List of Tables 3.1 Summary Table for Reviewed Operating Systems

Cited by 12 - Related articles - View as HTML - Web Search - Library Search - All 2 versions

Architectural support for run-time validation of program data properties

D Arora, S Ravi, A Raghunathan, NK Jha - IEEE Transactions on Very Large Scale Integration (VLSI) ..., 2007 - ieeexplore.ieee.org

... etc., for all pointers, and checks pointer dereferences against this table. ... can

be represented as a tuple Size, Value, where is the virtual address of the ...

Related articles - Web Search - BL Direct - All 3 versions

Expanding the scope of an annotation to an entity level

RD Dettinger, CT Rath, RJ Stevens - US Patent App. 12/025,132, 2008 - Google Patents

... OR State = NC Result: FirstName, LastName, Street DATA ABSTRACTION MODEL Field

*-Name = "First Name" — Access Method = "Simple" Table = "contact" Column ...

Web Search - All 4 versions

[PDF] •M-TREE: A high efficiency security architecture for protecting integrity and privacy of software

C Lu, T Zhang, W Shi, HHS Lee - arch.ece.gatech.edu

... MAC requires at least 128-bit to ensure a sufficient security level. ... 256 hash function

[5] by concatenating the cache line data, its virtual address, and the ...

Related articles - View as HTML - Web Search

A security architecture for microprocessors - tu-dortmund.de [PDF]

J Platte - 2008 - eldorado.tu-dortmund.de

... virtual address space is typically divided in pages with a typical size of at least

4096 bytes, and they can be mapped to physical memory using a page table. ...

Related articles - View as HTML - Web Search - All 3 versions

RESOURCE BALANCING IN A PARTITIONED PROCESSING ENVIRONMENT

J Kubala, J Nick, J TEMPLE III, P Yocom - EP Patent 1,386,226, 2004 - freepatentsonline.com

... on the application's indication of security level required. ... and creates its own

allocation table for use ... and mapping shared memory to virtual address spaces is ...

Web Search - All 5 versions

SHARED I/O IN A PARTITIONED PROCESSING ENVIRONMENT

M Baskley, F Deglillo, C Rohrbach, J TEMPLE III - EP Patent 1,368,735, 2003 - freepatentsonline.com

... on the application's indication of security level required. ... and creates its own

allocation table for use ... and mapping shared memory to virtual address spaces is ...

[Web Search](#) - [All 5 versions](#)

[A dynamic integrity verification scheme for tamper-resistance software- •hku.hk \[PDF\]](#)

Y Woo, 胡斯 - hku.hk

... ii Page 6. Contents Declaration i Acknowledgments ii **Table** of Contents iii List of **Tables** vii List of Figures viii ... 82 vi Page 10. List of **Tables** ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[A survey of static analysis methods for identifying security vulnerabilities in software systems- •psu.edu \[PDF\]](#)

M Pistoia, S Chandra, SJ Fink, E Yahav - IBM Systems Journal, 2007 - research.ibm.com

Page 1. A survey of static analysis methods for identifying security vulnerabilities in software systems & M. Pistoia S. Chandra SJ Fink E. Yahav ...

[Cited by 5](#) - [Related articles](#) - [Web Search](#) - [All 6 versions](#)

[Code distributing method](#)

EP Patent 1,739,591, 2007 - freepatentsonline.com

... allocated real memory address and a **virtual address** is generated ... stack pointer, the address correspondence **table** of the ... 12 has a lower **security level** than the ...

[Web Search](#) - [All 2 versions](#)

[Discovering and exploiting 802.11 wireless driver vulnerabilities](#)

L Butti, J Tinnés - Journal in Computer Virology, 2008 - Springer

... In **Table 1**, the frame control defines the 802.11 frame, other fields in

Table 1 do not seem to be promising regarding fuzzing. In ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#)

[Method and apparatus for providing services on a dynamically addressed network](#)

Y Yemini, MD Grossberg, D Fiorissi - US Patent App. 09/775,347, 2001 - Google Patents

... In addition, tags require a **table** lookup at each intermediate Node, while the ... could assign each End Node an IP address, and each IP address a **virtual address**. ...

[Web Search](#) - [All 2 versions](#)

[OPEN TYPE GENERAL-PURPOSE ATTACK-RESISTANT CPU, AND APPLICATION SYSTEM THEREOF](#)

T Hatakeyama, H Muruyama, K Ushiwaka, T Hasebe, N ... - EP Patent 1,542,112, 2005 - freepatentsonline.com

... **table** and the encryption key **table** are reconstructed ... If the code accesses the **virtual address** of the ... are implemented with a robust **security level** equivalent to ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [All 5 versions](#)

[\[PDF\] •An Overview of Singularity Project](#)

I Hristov - wwwse.inf.tu-dresden.de

... Yet another interesting **security level** is the run-time security ... The amount of **virtual address** space used by the "hello ... program is shown in the **table** below. ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

[\[PDF\] •An exfiltration subversion demonstration](#)

J Murray, NAVAL POSTGRADUATE SCHOOL MONTEREY CA - 2003 - theses.nps.navy.mil

... Page 8. vi THIS PAGE INTENTIONALLY LEFT BLANK Page 9. vii **TABLE** OF CONTENTS ... Page

14. xii THIS PAGE INTENTIONALLY LEFT BLANK Page 15. xiii LIST OF **TABLES** ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 6 versions](#)

[Information processing apparatus with a software protecting function](#)

K Kawano, M Taguchi, K Saito - US Patent 5,995,623, 1999 - Google Patents

... 30,1999 sheet 2 of 23 5,995,623 MPU 111 112 ENCRYPTION/DECRYPTION UNIT 113 KEY **TABLE** 131 SYSTEM BUS 121 MAIN MEMORY 123 I/O SECONDARY MEMORY FIG.2 Page 4. ...

[Cited by 3](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •Multiple Logs Analysis for Detecting Zero-day Backdoor Trojans

S Caravut - 2008 - ohioink.edu

... vii LIST OF **TABLES** Table Page I. Weight and meaning..... ..

13 21, decreases the **security level**. 22 ...

Related articles - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 3 versions](#)

JD Tygar

BS Yee - cs.berkeley.edu

... operating system, Mach, supports protected **address** spaces, including **virtual address**

spaces stored ... For even a modest **security level** the size of data involved ...

Related articles - [Web Search](#) - [All 7 versions](#)

ENSURING A C2 LEVEL OF TRUST AND INTEROPERABILITY IN A NETWORKED WINDOWS NT ENVIRONMENT

JA Lucas, G Lott, CE Irvine, R Buddenberg - cistr.nps.edu

... **TABLE OF CONTENTS** I. INTRODUCTION 1 A. PURPOSE 1 B. OBJECTIVE 1 C. RESEARCH QUESTIONS

2 D. SCOPE OF THE THESIS 3 E. RESEARCH METHODOLOGY 3 F. ORGANIZATION 4 II ...

[Web Search](#) - [All 2 versions](#)

[book] Identifying Malicious Code Through Reverse Engineering

A Singh, N Fliege - 2009 - books.google.com

... be used for advanced information **security level** courses ... viii **Table of Contents**

Fundamental of Windows 2.0 ... 2 Section Object 38 2.3 **Virtual Address** Descriptor 39 ...

[Web Search](#)

Tamper resistant software-mass data encoding

HJ Johnson, ST Chow, YX Gu - US Patent 7,350,085, 2008 - Google Patents

... MAP **VIRTUAL ADDRESS** ONTO AN ACTUAL ADDRESS FETCH DATA ... SAMA, IN ACCORDANCE WITH REQUIRED

SECURITY LEVEL 212 CHOSE ... pro- 40 grams contain **tables** of information ...

Related articles - [Web Search](#) - [All 6 versions](#)

Connection supporting apparatus

H Takeyoshi, N Matsuoka, A Kitada - US Patent App. 11/700,022, 2007 - Google Patents

Page 1. US 20080072312A1 (19) United States (12) Patent Application Publication

GO) Pub. NO.: US 2008/0072312 A1 Takeyoshi et al. (43) Pub. Date: Mar. ...

[Web Search](#) - [All 2 versions](#)

TAMPER RESISTANT SOFTWARE

HJ Johnson, ST Chow, Y GU - EP Patent 1,309,905, 2003 - freepatentsonline.com

... seamlessly with linear data encoding transformations; and being **table-driven**, making ...

to a request to retrieve a data value at a **virtual address** by: calculating ...

[Web Search](#) - [All 5 versions](#)

[PDF] •Access control for an object-oriented distributed platform

JL Ooi - Master's thesis, Department of Computer Science, Trinity ..., 1993 - Citeseer

... 83 vi Page 12. List of **Tables** 2.1 Description of

Protection Modes for Files : : : : 12 ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

System and method for an email firewall and use thereof

W Vasilaky, M Devi - US Patent App. 11/495,476, 2006 - Google Patents

... 0002] Not applicable. REFERENCE TO SEQUENCE LISTING, A **TABLE**, OR A COMPUTER

LISTING APPENDIX [0003] Not applicable. COPYRIGHT NOTICE ...

[Web Search](#) - [All 2 versions](#)

[PDF] •Windows XP Operating System Security Analysis

M Goktepe, NAVAL POSTGRADUATE SCHOOL MONTEREY CA - 2002 - cistr.nps.navy.mil

... THIS PAGE INTENTIONALLY LEFT BLANK vi Page 9. **TABLE OF CONTENTS** ... The new features

and improvements can be summarized in the **Table 1** below. FEATURES IMPROVEMENTS ...

[View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 8 versions](#)

Open generic tamper resistant CPU and application system thereof

T Hatakeyama, H Maruyama, K Ushiwaka, T Hasebe, N ... - US Patent App. 10/614,921, 2003 - Google Patents
Page 1. US 2004/0093505A1 (19) United States (12) Patent Application Publication
(no Pub. NO.: US 2004/0093505 A1 Hatakeyama et al. (43) Pub. ...
Web Search - All 2 versions

[PDF] •USB for DROPS

G Griessbach - os.inf.tu-dresden.de
Page 1. Diploma Thesis USB for DROPS Cerd Griebach gg5@os.inf.tu-dresden.de Dresden
University of Technology Operating System Group 15th March 2003 Page 2. ...
Cited by 1 - Related articles - View as HTML - Web Search - All 4 versions

[PDF] •Integrating Oracle E-Business Suite 11i in the Cisco Data Center

A Headquarters - xcv.cc
... This complex construct consists of **tables**, indexes, and stored procedures;
each an important element to organize and access the data. ...
View as HTML - Web Search - All 80 versions

Flexible context searchable on-line information system with help files and modules for on-line ...

WA Brooks, DA Chariand, JV DiCecco, DD Snyder, RG ... - US Patent 4,982,972, 1991 - Google Patents
... 1 TOPIC 1 ROOT | TOPIC 2 HOOT 2 TOPIC 2 TOPIC **TABLE** -TOPIC 1 ... mation for the same
application program, depending, for example upon their **security level** or the ...
Cited by 33 - Related articles - Web Search - All 2 versions

[PDF] •PRISM: Enabling Personal Verification of Code Integrity, Untampered Execution, and Trusted I/O on ...

HVC Execution - Citeseer
... Setting up the UEE involves modifying the device's CPU state to disable maskable
interrupts and mod- ifying the Interrupt Vector **Table** (IVT) of the CPU to ...
Related articles - View as HTML - Web Search - All 2 versions

Secure database access through partial encryption

RD Dettinger, FA Kulack, RJ Stevens, EW Will - US Patent App. 10/388,074, 2003 - Google Patents
... Location" Field *Name="PatientID" *Access Method="Simple" **Table**="Patient Records ...
very Builder User: Researcher 1 Search: Unnamed **Security Level**: 2 Search ...
Web Search - All 5 versions

[PDF] •Working Draft Project American National T10/1740-D Standard

SASDI SDI - Ann Arbor - Citeseer
... Additional availability contact information is provided below as needed. **Table 1**
lists standards bodies and their web sites. ... **Table 1** — Standards bodies ...
View as HTML - Web Search - All 5 versions

[PDF] •Distributed Denial-of-Service Characterization

M Berg, P Campbell, T Draelos, D Duggan, M ... - 2003 - Citeseer
... Routing **Tables** ... These practices would raise the **security level** throughout the Internet,
making it more difficult for DoS ... 1. **Virtual Address Space Fully Utilized** ...
Related articles - View as HTML - Web Search - All 4 versions

[PDF] •Cisco 4700 Series Application Control Engine Appliance SSL Configuration Guide

A Headquarters - cisco.org.lv
Page 1. Americas Headquarters Cisco Systems, Inc. 170 West Tasman Drive
San Jose, CA 95134-1706 USA http://www.cisco.com Tel: 408 ...
Related articles - View as HTML - Web Search - All 24 versions

Page processing circuits, devices, methods and systems for secure demand paging and other operations

EP Patent 1,870,813, 2007 - freepatentsonline.com
... of access to the security accelerators depending on the **security level** and/or ... In
other embodiments, a Physical-Address-to-Virtual-Address **table** PA2VA 2120 ...
Web Search - All 2 versions

Asbestos: Securing Untrusted Software with Interposition

D Mazieres, E Kohler, F Kaashoek, R Morris - 2005 - *Storming Media*

... Page 4. **Table** of Contents SUMMARY..... 1 ...

[Related articles](#) - [Web Search](#) - [Library Search](#) - All 2 versions

[PDF] •[Security policies in Nizza on top of L4. sec](#)

S Kalkowski - 141.76.48.99

... Property: 3 A subject with **security level** S 1 ... access rights, that domains possess with regard to types, are arranged in a Domain Definition **Table** (DDT), that ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - All 5 versions


[PDF] •[Software Security Models for Service-Oriented Programming \(SOP\) Platforms](#)

P Parrend, E INRIA-Amazones, L Citi, D de Thèse, S ... - tel.archives-ouvertes.fr

... 161 xlv tel-00362486, version 1 - 18 Feb 2009 Page 15. List of **Tables** 2.1 Behavior of several tools and frameworks in the presence of unvalid archives . 14 ...

[Related articles](#) - [View as HTML](#) - [Web Search](#)

Key authors: [V Berstis](#) - [P Stachour](#) - [T Gilmont](#) - [B Thuraisingha...](#) - [J Legat](#)

Google 
Result Page: 1 2 [Next](#)

"security level" and "virtual address"	<input type="button" value="Search"/>
--	---------------------------------------

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google